Ref #	Hits	Search Query	DBs	Default Operato r	Plural s	Time Stamp
S2	4	"693182".ap.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/05 07:28
S3	34140	hewlett adj packard.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/29 10:06
S4	7695	S3 and (external or remote)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/29 10:08
S5	1047	S4 and (trusted or secure)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/29 10:08
S6	258	S3 and (external or remote).ti.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/29 10:15
S7	53	S4 and (trusted or secure).ti.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/29 10:34
S8	4	S6 and S7	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/29 10:08
S9	253	((trusted or secure) and (external or remote)).ti.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/29 14:11
S10	249	S9 not (S6 or S7)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/29 11:11
S11	3	"303690".ap.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/29 11:11
S12	261743	((trusted or secure) and (external or remote))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/29 14:12

S13	253	S12 and S9	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/29 14:12
S14	46809	((trusted or secure) same (external or remote))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/29 14:13
S15	20916	((trusted or secure) with (external or remote))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/29 14:13
S16	506821	(data near5 storage near5 (media or medium)) or (computer near5 readable near5 (media or medium)) or floppy or (compact adj disk) or compact\$disk or CD or CD-rom	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/29 14:16
S17	5066	S15 and S16	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/29 14:16
S18	325	S15 same S16	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/29 14:17

12/5/2006 4:59:07 PM
Page 2
C:\Documents and Settings\bthomas\My Documents\EAST\Workspaces\10693182-Method&SystemForProvidingAnExternalTrustedAgentFor1orMo

S20	0	(US-20030074548-\$ or US-20030084285-\$ or US-20030188179-\$ or US-20050066191-\$ or US-20050091494-\$ or US-20050091494-\$ or US-20050132177-\$ or US-20050144443-\$ or US-20050144443-\$ or US-20050160281-\$ or US-20060155988-\$ or US-20060155988-\$ or US-20060184785-\$ or US-20060184785-\$ or US-2003013372-\$ or US-20030133575-\$ or US-20030138105-\$ or US-20030138105-\$ or US-20030182561-\$ or US-20030144440-\$ or US-20050144440-\$ or US-20050144440-\$ or US-20050144440-\$ or US-20050144783-\$ or US-20050144440-\$ or US-20050144783-\$ or US-20050149733-\$ or US-20050149733-\$ or US-20050149733-\$ or US-20050149733-\$ or US-200600564-\$ or US-20050149733-\$ or US-200600509-\$ or US-200600509-\$ or US-200600509-\$ or US-200600509-\$ or US-2006006161769-\$ or US-20060064752-\$ or US-20060064752-\$ or US-20060064752-\$ or US-20060064752-\$ or US-20060161784-\$).did. or (US-5361359-\$ or US-5581763-\$ or US-5581763-\$ or US-5581763-\$ or US-5581763-\$ or US-5581763-\$ or US-558798-\$).did.	US-PGPUB ; US-PGPUB	OR	ON	2006/11/29
			; USPAT			14:31
S21	14	S17 and S19	US-PGPUB ; USPAT	OR	ON	2006/11/29 14:31

S22	490	one adj time adj key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/29 15:01
S23	1505836	monitor\$5 or supervi\$7 or manage\$7	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/29 15:00
S24	201424	secur\$5 near5 (stat\$3 or mod\$3 or profile or system)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR .	ON	2006/11/29 15:03
S25	46991	remote near5 S23	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/29 15:04
S26	107	S25 and (trusted adj (platform or program) adj module or TPM)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/29 15:36
S27	59	S26 and \$2crypt\$8	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/29 15:36
S28	107	S25 and ((trusted adj (platform or program) adj module) or TPM)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/29 15:38
S29	59	S28 and \$2crypt\$8	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/29 15:38
S30	107	S25 and ((trusted adj (platform or program) adj (manage\$6 or module)) or TPM)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/29 15:38
S31	59	S30 and \$2crypt\$8	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/29 15:39

12/5/2006 4:59:07 PM Page 4

			<u> </u>	,	·	
S32	34	US-3736534-\$.DID. OR US-3742393-\$.DID. OR US-3754197-\$.DID. OR US-4293858-\$.DID. OR US-4435689-\$.DID. OR US-4786914-\$.DID. OR US-5030940-\$.DID. OR US-5528222-\$.DID. OR US-5682143-\$.DID. OR US-5719586-\$.DID. OR US-5719586-\$.DID. OR US-5754143-\$.DID. OR US-5867126-\$.DID. OR US-5936587-\$.DID. OR US-5995006-\$.DID. OR US-6028564-\$.DID. OR US-6028564-\$.DID. OR US-6094170-\$.DID. OR US-6097347-\$.DID. OR US-611241831-\$.DID. OR US-611241831-\$.DID. OR US-6147662-\$.DID. OR US-6159408-\$.DID. OR US-6259408-\$.DID. OR US-6259408-\$.DID. OR US-6218992-\$.DID. OR US-6271793-\$.DID. OR US-6285342-\$.DID. OR US-6285342-\$.DID. OR	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/29 16:52
		US-6285342-\$.DID. OR				
S33	48	S30 not S31	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/29 17:04

Page 5
C:\Documents and Settings\bthomas\My Documents\EAST\Workspaces\10693182-Method&SystemForProvidingAnExternalTrustedAgentForIorMo

S34	24	(US-20030028829-\$ or US-20030023872-\$ or US-20060031790-\$ or US-20020180778-\$ or US-20030226031-\$ or US-20030159056-\$ or US-20050060568-\$ or US-20050071677-\$ or US-20040039924-\$).did. or (US-7017056-\$ or US-6804813-\$ or US-6845464-\$ or US-6516427-\$ or US-5999741-\$ or US-6148402-\$ or US-5771240-\$ or US-7073059-\$ or US-7069439-\$ or US-7069439-\$ or US-7121460-\$).did. or (GB-2387678-\$).did.	US-PGPUB ; USPAT; EPO	OR	ON	2006/11/30 10:43
S35	7	S34 and ((pair or two or dual) same (disk or CD or token or media or medium or floppy))	US-PGPUB ; USPAT; EPO	OR	ON	2006/11/30 10:50
S36	618121	((pair or two or dual) same (disk or CD or token or media or medium or floppy))	US-PGPUB ; USPAT; EPO	OR	ON	2006/11/30 10:50

\$37		US-3736534-\$.DID. OR US-3742393-\$.DID. OR US-3754197-\$.DID. OR US-4293858-\$.DID. OR US-4435689-\$.DID. OR US-4786914-\$.DID. OR US-5030940-\$.DID. OR US-5528222-\$.DID. OR US-5719586-\$.DID. OR US-5719586-\$.DID. OR US-5754143-\$.DID. OR US-5892490-\$.DID. OR US-5936587-\$.DID. OR US-5995006-\$.DID. OR US-6028564-\$.DID. OR US-6028567-\$.DID. OR US-6040803-\$.DID. OR US-6094170-\$.DID. OR US-611241831-\$.DID. OR US-611241831-\$.DID. OR US-61259408-\$.DID. OR US-6259408-\$.DID. OR US-6259408-\$.DID. OR US-6259408-\$.DID. OR US-6259408-\$.DID. OR US-6259408-\$.DID. OR US-6259408-\$.DID. OR US-6262927-\$.DID. OR US-6262927-\$.DID. OR US-6271793-\$.DID. OR US-6320509-\$.DID. OR US-6320509-\$.DID. OR US-6320509-\$.DID. OR US-6388626-\$.DID. OR US-6390375-\$.DID. OR US-6390375-\$.DID. OR	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/30
S38	1508155	monitor\$5 or supervi\$7 or manage\$7	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/30 10:51
S39	47071	remote near5 S38	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/30 10:51
S40	107	S39 and ((trusted adj (platform or program) adj (manage\$6 or module)) or TPM)	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/30 10:51

S41	59	S40 and \$2crypt\$8	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/30 10:51
S42	20960	((trusted or secure) with (external or remote))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/30 10:52
S43	508068	(data near5 storage near5 (media or medium)) or (computer near5 readable near5 (media or medium)) or floppy or (compact adj disk) or compact\$disk or CD or CD-rom	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/30 10:52
S44	5083	S42 and S43	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/30 10:53
S45	12	S36 and S44 and S41	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/30 11:07
S46	1472	(S36 and S44 and key) not S41	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/30 11:08
S47	0	S46 and (one adj time adj use)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/30 11:09
S48	564	S46 and (one adj time)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/11/30 11:09

12/5/2006 4:59:07 PM
C:\Documents and Settings\bthomas\My Documents\EAST\Workspaces\10693182-Method&SystemForProvidingAnExternalTrustedAgentForIorMo

S49	25	(US-20030028829-\$ or US-20030023872-\$ or US-20060031790-\$ or US-20020180778-\$ or US-20030226031-\$ or US-20030159056-\$ or US-20050060568-\$ or US-20050060568-\$ or US-20040039924-\$).did. or (US-7017056-\$ or US-6804813-\$ or US-6845464-\$ or US-5999741-\$ or US-6148402-\$ or US-5771240-\$ or US-5832254-\$ or US-7073059-\$ or US-7069439-\$ or US-7121460-\$ or US-5109413-\$).did. or (GB-2387678-\$).did.	US-PGPUB ; USPAT; EPO	OR	ON	2006/11/30 17:33
S50	1	"6185678".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/04 08:10
S51	4	"841814".ap.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/04 12:52
S52	0	((Intelligent adj tokens) near3 smartcards).ti.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/04 12:57
S53	1	"5448045".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/04 15:30
S54	1	"5892902".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/04 12:57
S56	1272	726/11-15.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/04 15:32
S57	8	S56 and (insecure same remote) and (monitor or manage or manage)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/04 15:38

S58	8	S56 and (insecure same remote) and (monitor or manage or save)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/04 15:41
S59	647	713/171.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/04 15:41
S60	16	(S56 or S59) and ((insecure same remote) and (monitor or manage or save))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/04 15:53
S61	2	(S56 or S59) and ((\$2secure near2 status) and remote and (monitor or manage or save))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/04 15:59
S62	13	(S56 or S59) and ((\$2secure near2 (status or condition or state)) and remote and (monitor or manage or save))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/04 16:14
S63	182	(S56 or S59) and ((\$2secur\$3 near2 (status or condition or state) or invalid or corrupt) and remote and (monitor or manage or save))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/04 16:18
S64	169	S63 not S62	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/04 16:18
S67	91	client near5 (driven or initiated or controlled or activated) near5 security	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/04 16:32
S69	6	S67 and (S56 or S59)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/04 16:34
S70	93	insecure near2 message	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/05 11:30
S72	23	(726/22.ccls. or 726/23.ccls. or 726/25.ccls.) and ((mode or state) near3 chang\$3) same message	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/05 11:35

			,	,	_,	
S73	7	(726/22.ccls. or 726/23.ccls. or 726/25.ccls.) and ((mode or state) near3 chang\$3) same (message and secur\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/05 11:35
S74	28	(US-20030028829-\$ or US-20060031790-\$ or US-20030023872-\$ or US-20020180778-\$ or US-20060075264-\$ or US-20030159056-\$ or US-20030226031-\$ or US-20050060568-\$ or US-20050071677-\$).did. or (US-6185678-\$ or US-5351293-\$ or US-7017056-\$ or US-6804813-\$ or US-6516427-\$ or US-6845464-\$ or US-6148402-\$ or US-5771240-\$ or US-5771240-\$ or US-7073059-\$ or US-7069439-\$ or US-7121460-\$ or US-5940590-\$ or US-5109413-\$ or US-5404532-\$).did. or (GB-2387678-\$).did.	US-PGPUB ; USPAT; EPO	OR	ON	2006/12/05 13:34
S75	5	S74 and (symmetric near1 key)	US-PGPUB ; USPAT; EPO	OR	ON	2006/12/05 13:37
S76	5	"829074".ap.	US-PGPUB ; USPAT; EPO	OR	ON	2006/12/05 13:40
S77	1	"829074".ap. and symmetric	US-PGPUB ; USPAT; EPO	OR	ON	2006/12/05 13:43

12/5/2006 4:59:07 PM

C:\Documents and Settings\bthomas\My Documents\EAST\Workspaces\10693182-Method&SystemForProvidingAnExternalTrustedAgentForIorMo